

ABOUT OUR COMPANY

WOOGA Ceramic is the largest manufacturer and exporter of Ceramic tiles and Sanitary ware in India equipped with cutting edge technology, intense automation, and a zero chance for human errors are just few reasons why WOOGA remains at the top in the industry.

WHY CHOOSE?

We are at our best in providing tile and sanitary ware solutions, where WOOGA has since then grown stronger with its hard work, innovation and patronage from our discerning customers. Our designs are ought to give you all of our concepts that are well thought and are made to precise perfection that is an ideal choice.








POSTE Color Collection

600x 1200mm





Technical Features

The significant life events of this tile collection flawlessly support today's modern lifestyle, with qualities such as scratch resistance, germ resistance, stain resistance, and more.



Scratch Resistance



Fire Resistance



Frost Resistance



Stain Resistance



Dimensional Stability



Germ Resistance



Chemical Resistance



Water Resistance





Color Collection

SURFAROUTETURAL CHEANSON
FOR EVERY
SPACE





Easy To Maintain



Resistant To Chemicals



UV Resistant



Resistant To Acids



Prevents Bacterial Growth



Non-slip



at sistant



Dimensional Stability



Water Proof




Frost Resistant


INDEX

01	PASTEL BIANCO
02	PASTEL BLUE
03	PASTEL BROWN
04	PASTEL CREMA
05	PASTEL GREEN
06	PASTEL GREY
07	PASTEL GRIS
08	PASTEL MUSTARD
09	PASTEL NERO
10	PASTEL PINK
11	PASTEL PURPLE
12	PASTEL RED
13	PASTEL RUST
14	PASTEL SKY
15	PASTEL TEAL












FINISH PASTEL COLOR













FINISH PASTEL COLOR














FINISH PASTEL COLOR













FINISH PASTEL DARK COLOR














FINISH PASTEL COLOR













FINISH PASTEL DARK COLOR














FINISH PASTEL DARK COLOR
















FINISH PASTEL COLOR













FINISH PASTEL COLOR














FINISH PASTEL DARK COLOR














FINISH PASTEL DARK COLOR












FINISH PASTEL DARK COLOR
















FINISH PASTEL DARK COLOR
















FINISH PASTEL DARK COLOR











FINISH PASTEL DARK COLOR





Technical Specification

GVT-PGVT

600 X 1200 MM

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	VALUE	
DI	MENSION & SURFACE QU	ALITY		
Deviation in length	ISO-10545-2	+0.6%	±0.2%	
Deviation in Thickness	ISO-10545-2	±5%	±3%	
Straight of Sides	ISO-10545-2	±0.5%	±0.2%	
Rectangularity	ISO-10545-2	±0.5%	±0.2%	
Surface Flatness	ISO-10545-2	±0.5%	±0.2%	
PH	YSICAL & THERMAL PROP	ERTIES		
Flexural Strength	ISO-10545-4	> 35N/mm²	> 40N/mm²	
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4	
Breaking Strenght	ISO-10545-11	>1113N	>100N	
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof	
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage	
Noisture Expansion	ISO-10545-10	NIL	NIL	
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV	
	CHEMICAL PROPERTIES	S		
Chemical Resistance	ISO-10545-13 No Damage		No Damage	
Color Resistance	ISO-10545-16	No Damage	No Damage	
Stain Resistance	ISO-10545-14	Resistant	Resistant	

Note:

- Certain amount of size and shade variation is inherent in all ceramic products.
 Our conformity to the above Fast is applicable only for Quality.

PACKING DETAILS

Dimension				
(MM)	PIECES	Thickness	Sq. Feet	Weight (Apx.)
600x1200MM	2	8.5mm	15.50	28 kgs.

THANKYOU